

Printing date: 10.06.16 Revision: 0 / 30.05.2012 Page 1 / 5

1. Identification of the substance / mixture and of the company / undertaking

Trade name: TIGER SHARK® Elastic flap disc

Supplier: Gerd Eisenblätter GmbH

Jeschkenstaße 12d 82538 Geretsried

Phone: +49 (0) 8171 / 9082 - 010

Emergencies: +49 (0) 8171 / 9082 - 010

2. Composition / Information on ingredients

The product contains the following ingredients which are classified according to 67/548/EEC or Regulation (EC) No. 1272/2008 or for which a community occupational exposure limit value exists:

Substance	EC-No.	CAS-No.	REACH Registration No.	Conc. (%)	Classification acc. to Regulation (EC) No. 1272/2008 (CLP)		Classification acc. to Directive 67/548/EWC
					Hazard classes / Hazard categories	Hazard statements	
Cryolite	237-410-6	13775-53-6	01-2119511565- 43-XXXX	1 – 13 %	Akut Tox. 4 STOT wdh. 1 Akut Tox. 4 Agu. chron. 2	H332 H372 H302 H411	T; R48/23/25 Xn; R20/22 N; R51/53

(For the wording of the listed risk phrases refer to section 16.)

3. Hazards identification

3.1. Classification

Not applicable.

Abrasives are articles and not dangerous substances or mixtures according to directive 1999/45/EC or Regulation (EC) No. 1272/2008.

3.2. Label elements

Abrasives are articles and not dangerous substances or mixtures and therefore no labelling is required according to directive 1999/45/EC or Regulation (EC) No. 1272/2008.

3.3. Other hazards

Not known.



Trade Name: TIGER SHARK® Elastic flap disc Page 2 / 5

4. First aid measures

4.1. Description of first aid measures

After inhalation: Not possible, due to the form of the product.

After skin contact: No harmful effects known.

After eye contact: Not possible, due to the form of the product.

After swallowing: Not likely, due to the form of the product. If necessary contact physician.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Not relevant. Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing agents: Water, foam, sand, powder or CO₂ as appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Toxic fumes may occur. Use respiratory protective equipment.

5.3. Advice for fire fighters

Extinguishing materials should be selected according to the surrounding area.

6. Accidental release measures

Not applicable.

7. Handling and storage

Follow instructions of grinding machine manufacturers and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.



Trade Name: TIGER SHARK® Elastic flap disc Page 3 / 5

8. Exposure controls / personal protection

8.1. Control parameters

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

Occupational exposure limit values and / or biological limit values

Keep exposure to the following components under surveillance. (Observe also the regional official regulations)

Limit value type (country of origin)	Substance	EC-No.	CAS-No.	Occupational limit value			alue	Peak limit	Source, Remark
				Long term Short term					
				mg/m ³	ml/m ³	mg/m ³	ml/m ³		
					(ppm)		(ppm)		
IOELV (EU)	cryolite	237-410-6	13775-53-6	2.5					Directive 2000/39/EC; Fluoride (inorganic as F)

Note: Hazardous dust of the workpiece material may be generated during grinding and / or sanding operations. National regulations for dust exposure limit values have to be taken into consideration.

8.2. Exposure controls

Personal protective equipment:

Respiratory protection:

Use respiratory protective equipment (Type depends on specific application and material being ground).

Protection of hands:

Wear protective gloves (Type depends on specific application and material being ground).

Eye protection:

Wear protective goggles or face shield (Type depends on specific application and material being ground).

Hearing protection:

Use hearing protection (Type depends on specific application and material being ground).

Body protection:

Use protective clothing (Type depends on specific application and material being ground).

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form: solid

Colour: red

Solubility in water: not relevant (article)



Trade Name: TIGER SHARK® Elastic flap disc Page 4 / 5

9.2. Other information

None.

10. Stability and reactivity

10.1. Reactivity

Coated abrasives are stable when handled or stored correctly.

10.2. Chemical stability

No decomposition in normal use.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Coated abrasives are stable when handled or stored correctly.

10.5. Incompatible materials

No dangerous reactions known.

10.6. Hazardous decomposition products

At temperatures exceeding 250°C hazardous or toxic decomposition products may be generated.

11. Toxicological information

11.1. Information on toxicological effects

No toxicological effects if inhaled or swallowed or with eye or skin contact are known.

12. Ecological information

12.1. Toxicity

No effects known.

12.2. Persistence and degradability

No biodegradable potential known.

12.3. Bioaccumulative potential

No potentials known.

12.4. Mobility in soil

No potentials known.

12.5. Results of PBT and vPvB assessment

Not relevant.

12.6. Other adverse effects

No effects known.



Trade Name: **TIGER SHARK® Elastic flap disc** Page 5 / 5

13. Disposal considerations

13.1. Waste treatment methods

Product

Follow national and regional regulations.

Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC - No. 120120)

Packing

Follow national and regional regulations.

14. Transport information

The product is not covered by international regulation on the transport of dangerous goods.

15. Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

No specific labelling requirements under respective EC directives.

15.2. Chemical safety assessment

Not relevant.

16. Other information

Hazard statements referred to in section 2 and 3:

H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

Target organs: lungs, skeleton

H302 Harmful if swallowed

H411 Toxic to aquatic life with long lasting effects

R20/22 Harmful by inhalation and if swallowed

R48/23/25 Toxic: Danger of serious damage to health by prolonged exposure through inhalation and

if swallowed.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The information given is based on current knowledge. Products are described in term of their safety data. The data does not signify any warranty with regard to the products properties.

Further information relating to the use of the product can be obtained from the technical datasheets.

The product should only be used for the stated application or applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet.