

Safety Data Sheet

according to Ordinance (EC) No. 1907/2006

Printing date: 22.03.2017

Revision: 0 / 23.01.2014

Page 1 / 4

1. Identification of the substance / preparation and of the company / undertaking

Trade name: TRIMFIX® BLACK MAMBA® flap disc

Supplier: Gerd Eisenblätter GmbH

Jeschkenstraße 12d
82538 Geretsried
Phone: + 49 (0) 8171 / 9082 - 010

Emergencies: +49 (0) 8171 / 9082 - 010

2. Composition / Information on ingredients

The product contains the following ingredients which are classified according to 67/548/EEC or Regulation (EC) Nr. 1272/2008 or for which a community occupational exposure limit value exists:

Substance	EC-No.	CAS-No.	REACH Registration No.	Conc. (%)	Classification acc. to Regulation (EC) No. 1272/2008 (CLP)		Classification acc. to Directive 67/548/EWC
					Hazard classes / Hazard categories	Hazard statements	
Cryolite	237-410-6	13775-53-6	01- 2119511565- 43-XXXX	2 – 21 %	Akut Tox. 4* STOT wdh. 1 Akut Tox. 4* Aqu. chron. 2	H332 H372 H302 H411	T; R48/23/25 Xn; R20/22 N; R51/53

(For full text of H-phrases see section 16.)

3. Hazards identification

3.1. Classification

Not applicable

Abrasives are articles and not dangerous substances or mixtures according to the Regulation (EC) No. 1272/2008.

3.2. Label elements

Abrasives are articles and not dangerous substances or mixtures and therefore no labelling is required according to the Regulation (EC) No. 1272/2008.

3.3. Other hazards

Not known.

Safety Data Sheet

according to Ordinance (EC) No. 1907/2006

Trade Name: **TRIMFIX® BLACK MAMBA® flap disc**

Page 2 / 4

4. First aid measures

See also section 8 and 16.

Inhalation: Not possible, due to the form of the product.
 Skin contact: No harmful effects known.
 Eye contact: Not possible, due to the form of the product.
 Ingestion: Not likely, due to the form of the product; if necessary contact physician.

5. Fire-fighting measures

Toxic fumes may occur. Use respiratory protective equipment.

Extinguishing media: water, foam, sand, powder or CO₂ as appropriate for surrounding materials

6. Accidental release (Spill containment measures)

Not applicable.

7. Handling and storage

Follow instructions of grinding machine manufacturers and the relevant national regulations.
 In addition, observe the safety recommendations of the manufacturer.

8. Exposure controls / personal protection

8.1. Control parameters

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

Occupational exposure limit values and / or biological limit values.

Keep exposure to the following components under surveillance.
 (Observe also the regional official regulations)

Limit value type (country of origin)	Substance	EC-No.	CAS-No.	Occupational limit value				Peak limit	Source, Remark
				Long term		Short term			
				mg/m ³	ml/m ³ (ppm)	mg/m ³	ml/m ³ (ppm)		
IOELV (EU)	Cryolite	237-410-6	13775-53-6	2,5					Directive 2000/39/EC; Fluoride (inorganic as F)

Note: Hazardous dust of the workpiece material may be generated during grinding and / or sanding operations.
 National regulations for dust exposure limit values have to be taken into consideration.

Safety Data Sheet

according to Ordinance (EC) No. 1907/2006

Trade Name: **TRIMFIX® BLACK MAMBA® flap disc**

Page 3 / 4

8.2. Exposure controls

8.2.1. Individual protection measures

8.2.1.1. Respiratory protection: Use respiratory protective equipment
(Type depends on specific application and material being ground)

8.2.1.2. Hand protection: Wear protective gloves
(Type depends on specific application and material being ground)

8.2.1.3. Eye protection: Wear protective goggles or face shield
(Type depends on specific application and material being ground)

8.2.1.4. Hearing protection: Use hearing protection
(Type depends on specific application and material being ground)

8.2.1.5. Body protection: Use protective clothing
(Type depends on specific application and material being ground)

9. Physical and chemical properties

- | | | |
|------|----------------------|------------------------|
| 9.1. | Physical state: | solid |
| 9.2. | Colour: | different colours |
| 9.3. | Solubility in water: | not relevant (article) |

10. Stability and reactivity

Stability

Coated abrasives are stable when handled or stored correctly.

Reactivity

10.1. Conditions to avoid

Coated Abrasives are stable when handled or stored correctly.

10.2. Incompatible materials

No dangerous reactions known.

10.3. Hazardous decomposition products

At temperatures exceeding 250°C hazardous or toxic decomposition products may be generated.

11. Toxicological information

No toxicological effects if inhaled or swallowed or with eye or skin contact are known.

12. Ecological information

- | | |
|--------------------------------|------------------------------------|
| Toxicity: | No effects known. |
| Mobility in soil: | No potentials known. |
| Persistence and degradability: | No biodegradable potentials known. |
| Bioaccumulative potential: | No potentials known. |
| Other adverse effects: | No effects known. |
-

Safety Data Sheet

according to Ordinance (EC) No. 1907/2006

Trade Name: **TRIMFIX® BLACK MAMBA® flap disc**

Page 4 / 4

13. Disposal considerations

13.1. Disposal methods

13.1. Product

Follow national and regional regulations.

Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC – No. 120120)

13.2. Packing

Follow national and regional regulations.

14. Transport information

The product is not covered by international regulation on the transport of dangerous goods.

15. Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the product

No specific labelling requirements under respective EC directives.

15.2. Chemical safety assessment

Not relevant.

16. Other information

Hazard statements referred to in section 2 and 3

H302 Harmful if swallowed

H332 Harmful if inhaled.

H372 May cause damage to organs (lung, skeleton) to prolonged or repeated exposure.

H362 May cause harm to breast-fed babies.

H411 Toxic to aquatic life with long lasting effects.

R20/22 Harmful by inhalation and if swallowed.

R48/23/25 Toxic: danger if serious damage to health by prolonged exposure through inhalation and if swallowed.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The information given is based on current knowledge. Products are described in term of their safety data. The data does not signify any warranty with regard to the products properties.
The product should only be used for the stated application or applications. Use of the product for applications other than as stated in the sheet may give rise to risks not mentioned in this sheet.
Further information relating to the use of the product can be obtained from the technical datasheets.